



## CONSUMER PRODUCT CATALOGUE V5



**Door Bottom Seals**  
**Door & Window Perimeter Seals**  
**Garage Seals**  
**Floor Edging & Stair Treads**  
**Threshold Access Ramps**  
**DIY Window Cleaning**  
**Glidex® Advanced Window Cleaning**  
**Inspire® Garden Edging**



Throughout Australia hardware groups, home centres, hardware independents and variety stores have relied on Raven for its leading range of door and window seals. Today, Raven also provides an extensive range of window cleaning products, floor edging, access ramps, and garden edging, in addition to the popular door and window seal range to the retail, DIY, and trade markets.

## The Original & The Best

Established in 1950, Raven Products Pty Ltd remains an Australian family owned and operated company.

Raven is one of Australia's most trusted brands. A pioneer in the hardware industry, it invents, designs, and manufactures products that are available across Australia and distributed around the world.

Raven has perfected and streamlined its quality manufacturing and distribution systems that guarantee our unwavering commitment to deliver the best products at the best price backed by the best service.



A family  
owned  
Australian  
business

Sedex<sup>2</sup> | Member

## Quality & Innovation

Raven Products Pty Ltd is quality certified to the highest ISO 9001 standards and operates to environmental ISO4001 and OH&S AS/NZS 4801. Also listed as a preferred manufacturer and supplier with Australia's internationally respected organisation, Global GreenTag, we continue to maintain our reputation and leading market position throughout Australasia and the world. Our continual improvement policy means that we continue to invent new and innovative products perfectly tuned to the latest consumer trends and demands.



	<p><b>What is door &amp; window sealing?</b> 2</p> <p><b>Choosing the Correct Seals</b> 3</p> <p><b>Door Bottom Seals</b> 4</p>
	<p><b>Door &amp; Window Perimeter Seals</b> 10</p>
	<p><b>Garage Seals</b> <b>NEW</b> 16</p>
	<p><b>Floor Edging &amp; Stair Treads</b> 20</p>
	<p><b>Threshold Access Ramps</b> 26</p>
	<p><b>DIY Window Cleaner Squeegees</b> 28</p>
	<p><b>Glidex® Advanced Window Cleaning</b> 32</p>
	<p><b>Inspire® Garden Edging</b> <b>NEW</b> 38</p>

# What is door & window sealing?



## The Door & Window Sealing Issue

For doors and windows to function, they must have gaps between their edges and the frame to allow for easy operation and to accommodate normal building movement.

However, these gaps can allow the intrusion of draughts, dust, insects, rain, noise, rodents, and bushfire embers. Unsealed doors and windows allow the leakage of heating and cooling which significantly increases energy costs and reduces the energy efficiency of other design elements of a building.



### Did you know?

The heating and cooling loss from an unsealed home through gaps around doors and windows is around 15%.

This is not difficult to understand when you consider that the gap around an average door equates to a hole being the size of a house brick!



## The Sealing Solution

The sealing solution is to fit Raven seals which seal the gaps around doors and windows against a combination of intrusions and leakages.


Properly selected and installed, a complete and continuous seal can be achieved for all door and window types without impeding their normal use. These are known as 'sealing systems'.

Optimum sealing systems can be achieved by combining the appropriate Raven door bottom seals, threshold trims, and perimeter seals.



## What Does it Cost?

While the problem is big, the cost of a solution is small and could save you hundreds of dollars per year. Installing Raven door and window seals is a cost-effective way to improve energy efficiency, especially compared to pricier options like double glazing or insulation for roofs and walls.



# Choosing the Correct Seals



## Seal Application Icons

Icons have been used to help identify appropriate seals for various applications to make product selection easier. All seals are designed to meet most standards, and in most cases, perform more than one function.



## Raven Seal Selection Guide

It's easier than ever to select the right seals using the product selection guide below. Simply identify the type of door or window you have and the problem you are trying to solve and you will be able to quickly see which seals are suitable for you.

Most doors and windows can be sealed using a combination of door bottom seals and frame perimeter seals. The chart below shows you how.

1. Identify type of door or window.
2. Identify the problem.
3. Identify seal required using this guide.

										DOOR / WINDOW						PROBLEM										
										SINGLE OPENING IN	SINGLE OPENING OUT	DOUBLE OPENING IN	DOUBLE OPENING OUT	SLIDING	PIVOT	SCREEN / BI-FOLD	AWNING, CASEMENT, HOPPER	SASH / DOUBLE HUNG	DRAUGHTS / DUST	RAIN	NOISE	INSECTS	HEAT / COLD	RODENTS	BUSHFIRE EMBERS	SEALS GAPS
DOOR BOTTOM SEALS	RP2A	●	●	●	●	●	●	●			●				●	●			●	●		●	Up to 19mm			
	RP3	●									●				●	●			●	●		●	Up to 16mm			
	RP4	●	●	●	●		●				●	●			●	●	●		●	●		●	25mm between door & sill required			
	RP5	●	●	●	●			●			●				●	●			●	●		●	Up to 19mm			
	RP17	●	●	●	●	●	●	●			●				●	●			●	●		●	Up to 19mm			
	RP54	●		●							●	●			●	●	●		●	●		●	22-25mm between door & sill required			
	RP60	●		●							●		●		●	●			●	●		●	Up to 15mm			
	RP83	●	●	●	●	●	●	●			●				●	●			●	●		●	Up to 19mm			
	RP123	●	●	●	●		●				●	●	●	●	●	●			●	●		●	20mm between door & sill required			
SEALS FOR AROUND DOORS & WINDOWS	RP7	●	●	●	●				●		●	●	●	●	●			●	●		●	Up to 7mm				
	RP14	●	●	●	●			●	●		●			●	●			●	●		●	3 to 5mm				
	RP48	●	●	●	●			●	●	●	●	●	●	●	●			●	●	●	●	3 to 5mm				
	RP59	●	●	●	●			●	●	●	●	●	●	●	●			●	●	●	●	2 to 4mm				
	RP61	●	●	●	●	●	●	●	●	●	●			●	●			●	●		●	3 to 5mm				
GARAGE SEALS	RP141										●	●	●			●		●	●		●	Threshold sill seal				
	RP142										●	●	●	●	●			●	●		●	Replacement roller-door seal				
	RP143										●	●	●	●	●			●	●		●	Replacement roller-door seal				
LARGE GAPS	RP14A 19 x 6mm thick	RP14B 12 x 12mm thick				RP108 15 x 8mm thick								User determined application												

© Raven Products Pty. Ltd. 2023

## Fitting Instructions

Refer to back of packaging for step-by-step installation instructions and guides, or visit our website [raven.com.au](https://raven.com.au)




## Door Bottom Seals


Raven pioneered DIY door and window seals in Australia offering the most comprehensive range to suit all consumer types and price points.

Raven offer a range of door bottom seals designed to meet any need or configuration. The handy selection guide makes selecting the right product for the right application easier than ever ensuring you achieve the best result.

The iconic Raven brand is easily recognised with our tough tamper resistant packaging on DIY products giving improved product identification and greater display impact. Popular ranges are also available in trade packs.

Scan this QR code  
to view the full  
range online.





## RP2A - Brush Strip Door Seal



Soft brush seal sweeps smoothly over hard floors.

- Ideal for all sliding and hinged doors up to 1220mm
- Easy fit, self-adhesive
- Quality long life anodised aluminium. UV treated premium grade nylon brush
- Seals Gaps: 0mm to 19mm

*Note: Contact surface must be clean, smooth and if painted, well cured.*




*Self-adhesive seals will not stick to oil-rub finishes.*


**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)

BronzeHEALTH<sup>™</sup> HealthRATE<sup>™</sup>



Colour		Length	Re-order Code
	Bronze Anodised	920mm	R2AB
		1220mm	R2AB4
	Silver Anodised	920mm	R2AC
		1220mm	R2AC4
	Gold Anodised	915mm	R2AG



## RP3 - Automatic Weather Seal



Automatically lifts to clear carpet. Seals tight when door closes.

- Ideal for single inward opening, butt hinged doors 385mm - 1220mm
- Easy fit, fixings included
- Quality long life anodised aluminium. UV treated rubber seal
- Seals Gaps: 0mm to 16mm


**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)

PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>



Colour		Length (cut back)	Re-order Code
	Bronze Anodised	920mm (385mm)	R3B
		1220mm (920mm)	R3B4
	Silver Anodised	920mm (385mm)	R3C
		1220mm (920mm)	R3C4
	Gold Anodised	920mm (385mm)	R3G
		1220mm (920mm)	R3G4
	Black Anodised	920mm (385mm)	R3BK



## RP4 - Storm Proof Door Seal







Weatherproof.

- Ideal for single and double butt hinged doors up to 920mm
- Handy fit, fixings included
- For double doors, use two seals
- Quality long life anodised aluminium with UV treated seal gaskets
- Seals Gaps: 23mm to 25mm (trim door to suit)

**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)  
PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>



Colour		Length	Re-order Code
	Bronze Anodised	926mm	R4B
	Silver Anodised	926mm	R4C
	Gold Anodised	926mm	R4G



## RP5 - Weather Strip Door Seal




Weather strip seal for raised door sills.




- Ideal for security screens & outward opening doors up to 920mm
- Easy fit, self-adhesive
- Quality long life anodised aluminium. UV treated rubber seal
- Seals Gaps: 0mm to 19mm


*Note: Contact surface must be clean, smooth and if painted, well cured.  
Self-adhesive seals will not stick to oil-rub finishes.*

**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)  
PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>



Colour		Length	Re-order Code
	Bronze Anodised	920mm	R5B
	Silver Anodised	920mm	R5C
	Gold Anodised	920mm	R5G



RP17 - Door Bottom Sweep Seal



- Flexible seal sweeps over carpet and hard floors.
- Ideal for sliding and hinged doors up to 920mm
  - Easy fit, self-adhesive
  - Quality UV treated co-extruded polymer seal
  - Seals Gaps: 0mm to 19mm



*Note: Contact surface must be clean, smooth and if painted, well cured.  
Self-adhesive seals will not stick to oil-rub finishes.*

Global GreenTagCert™

Product Health Declaration™ (GreenTag PHD™)

PlatinumHEALTH™ HealthRATE™

Colour		Length	Re-order Code
	Brown	920mm	R17B
	White	920mm	R17W



RP54 - Daniels Rainstop Seal



- Rainproof.
- Ideal for inward opening hinged doors up to 920mm
  - For double doors, use two seals
  - Handy fit, fixings included
  - Quality long life anodised aluminium. UV treated co-extruded polymer seal
  - Seals Gaps: 23mm to 25mm


Global GreenTagCert™

Product Health Declaration™ (GreenTag PHD™)

PlatinumHEALTH™ HealthRATE™

Colour		Length	Re-order Code
	Silver Anodised	915mm	R54





## RP60 - Automatic Noise & Weather Seal



Automatically lifts to clear carpet. Seals tight when door closes

- Ideal for single or double, butt hinged doors up to 920mm
- Easy fit, fixings included
- For double doors, use two seals
- Quality long life anodised aluminium. UV treated rubber seal & cover strip
- Seals Gaps: 0mm to 15mm

**Global GreenTag<sup>Cert™</sup>**


Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)

PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>

Colour	Length (cut back)	Re-order Code
 Bronze Anodised	920mm (450mm)	R60B
 Silver Anodised	920mm (450mm)	R60C
 Gold Anodised	915mm (450mm)	R60G
 Black Anodised	920mm (450mm)	R60BK



**NEW**



## RP83 - Brush Strip Door Seal



Soft brush seal sweeps smoothly over hard floors.

- Ideal for all sliding and hinged doors up to 920mm
- Easy fit, self-adhesive
- Quality UV treated polymer holder. UV treated premium grade nylon brush
- Seals Gaps: 0mm to 19mm

*Note: Contact surface must be clean, smooth and if painted, well cured.*

*Self-adhesive seals will not stick to oil-rub finishes.*

**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)

PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>

Colour	Length	Re-order Code
 Brown	920mm	R83B
 White	920mm	R83W






RP123 - Rain Proof Door Seal



Weatherproof.

- Ideal for single and double butt hinged doors, up to 1220mm
- Threshold plate suitable for flat sill or rebated sill
- Handy fit, screw fixings included
- For double doors, use two seals
- Quality anodised aluminium threshold plate. UV treated co-polymer seal
- Seals Gaps: —  
Flat sill: 19mm to 20mm (trim door to suit)  
Rebated sill: 12mm to 13mm (trim door to suit)

Global GreenTagCert™  
Product Health Declaration™ (GreenTag PHD™)  
PlatinumHEALTH™ HealthRATE™



Colour		Length	Re-order Code
Bronze Anodised		915mm	R123B
		1220mm	R123B4
Silver Anodised		915mm	R123C
		1220mm	R123C4





## Door & Window Perimeter Seals


Raven pioneered DIY door and window seals in Australia offering the most comprehensive range to suit all consumer types and price points.

Raven offer a range of DIY perimeter seals and weather stripping designed to meet any need or configuration. The handy selection guide makes selecting the right product for the right application easier than ever ensuring you achieve the best result.

The iconic Raven brand is easily recognised with our tough tamper resistant packaging on DIY products giving improved product identification and greater display impact.

Scan this QR code  
to view the full  
range online.





## RP7 - Weather & Acoustic Frame Seal



For around hinged doors or windows.


- Rigid & Flexible PVC construction
- Can be painted
- Nails included
- Door pack consists of 1 x 1000mm, 2 x 2100mm
- Seals gaps: 0mm to 7mm

**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration™ (GreenTag PHD™)  
PlatinumHEALTH™ HealthRATE™



Colour		Length	Re-order Code
	Brown	Single Door Set (1 x 1000mm & 2 x 2100mm)	R7B
	White		R7W





## RP14 - Seal Around Doors & Windows



- 5m strip sufficient for average door frame
- Superior quality urethane foam
- Size: 6 (H) x 9mm (W)
- Self-adhesive
- For around doors and windows
- Seals gaps: 3mm to 5mm



Colour		Length	Re-order Code
	Grey	5m coil	R14G
	White		R14W




## RP14A - Weather Strip for Doors & Windows



- 5m strip sufficient for average door frame
- Superior quality urethane foam
- Size: 6 (H) x 19mm (W)
- Self-adhesive
- For around doors and windows
- Seals gaps: 3mm to 5mm



Colour		Length	Re-order Code
	Grey	5m coil	R14AG
	White		R14A




## RP14B - Weather Strip for Doors & Windows



- Superior quality urethane foam
- Size: 12 (H) x 12mm (W)
- Self-adhesive
- For around doors and windows
- Seals gaps: 8mm to 11mm



Colour		Length	Re-order Code
	White	2.5m coil	R14B



## RP48 - Door & Window Weather Strip






Superior quality self-adhesive door and window frame weather strip. This soft EPDM rubber seal is set into the corners between the stop and frame providing a compression seal.


- 5m single strip (2 x 2.5m) sufficient for average door frame
- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 3mm to 5mm

**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)  
PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>



Colour		Length	Re-order Code
	Brown	5m coil (2 x 2.5m)	R48B
	Grey		R48G
	White		R48W



## RP59 - Window & Door Weather Strip






Superior quality self-adhesive door and window frame weather strip. This soft EPDM rubber seal is set into the corners between the stop and frame providing a compression seal.


- 5m single strip (2 x 2.5m) sufficient for average door frame
- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 2mm to 4mm

**Global GreenTag<sup>Cert™</sup>**

Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)  
PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>



Colour		Length	Re-order Code
	Brown	5m coil (2 x 2.5m)	R59B
	Grey		R59G
	White		R59W



## RP61 - Draught Excluder




A self-adhesive soft woven pile draught seal which is ideal for sliding door and window applications.

- Ideal for sash window and other sliding seal applications
- Long lasting quality
- Self-adhesive
- Grey woven pile
- Seals gaps: 3mm to 5mm



Colour	Length	Re-order Code
 Grey	5m coil	R61



## RP108 - Multi-use Rubber Sealing Strip



RP108 is a multi purpose, user determined self-adhesive EPDM compression seal.



User determined application only - more packs may be required

- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 6mm to 8mm



### Global GreenTag Cert™

Product Health Declaration™ (GreenTag PHD™)  
PlatinumHEALTH™ HealthRATE™


Colour	Length	Re-order Code
 Grey	2m coil	R108G
 White		R108W



RP113 - Timber Stop Seal



- A timber door stop frame seal suitable for plain or rebated frames.
- For around hinged doors or windows
  - Fixing nails supplied
  - Available in genuine plantation Tasmanian oak
  - Seals gaps: 0mm to 7mm (compression 1 - 3mm)



Colour	Length	Re-order Code
Tasmanian Oak	Single Door Set (1 x 1000mm & 2 x 2100mm)	R113







## Garage Seals **NEW**

Keep your garage clean and dry! Stop rain, leaves and debris from blowing into your garage and protect your belongings from damage by sealing your garage door.


Raven's garage door seals are quick and easy to install and maintenance free.



**RP141**



**RP142**



**RP143**

Scan this QR code to view the full range online.





## RP141 - Garage Door Threshold Seal



Length: 3200mm for a standard, single vehicle opening.  
For double vehicle openings, use two seals

- Suitable for Roll-Up, Panel-Lift and Tilt-up garage doors.
- Easy for cars and trucks to drive over
- A bushfire ember barrier up to BAL40 rating
- Maintenance free co-polymer with yellow step indicator
- Fits to a flat or stepped concrete floor
- Adhesive included



Colour		Length	Re-order Code
	Grey	3200mm	R141G3200



**Roll-Up**



**Panel-Lift**



**Tilt-Up**



## RP142 - Universal Replacement Roller-Door Seal



Universal replacement seal to suit garage roller-doors:


- Gliderol
- B&D (made after 1997)
- Stramit
- Steel-line

3 metres long for a standard, single roller-door.

For a wider door, use two seals

Flexible polymer seal



Colour	Length	Re-order Code
 Grey	3000mm	R142




## RP143 - Replacement Roller-Door Seal



- Replacement seal to suit B&D garage roller-doors made before 1997.
- 3 metres long for a standard, single roller-door. For a wider door, use two seals
- Flexible polymer seal



Colour	Length	Re-order Code
 Grey	3000mm	R143






## Floor Edging & Stair Treads


Made from high quality anodised aluminium, Raven's range of floor edging, stair treads and trim are the ideal DIY solution available in various colours and lengths. Simply cut to size for a modern and flawless finish to flooring joins, thresholds and stair edges.

Scan this QR code  
to view the full  
range online.



## H230 - Lino Edge


- Premium quality aluminium
- Dome head annular nails supplied (H235)
- Size: 6 (H) x 24mm (W)



Colour	Length	Re-order Code
Silver Anodised	900mm	H230C
	1800mm	H230AC
Gold Anodised	900mm	H230G
	1800mm	H230AG

## H231 - Carpet Edge

- Premium quality aluminium
- Dome head annular nails supplied (H235)
- Size: 9 (H) x 32mm (W)




Colour	Length	Re-order Code
Silver Anodised	900mm	H231C
	1800mm	H231AC
Gold Anodised	900mm	H231G
	1800mm	H231AG



## H233 - Flat Stair Edge

- Premium quality aluminium
- Size: 4 (H) x 38mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)




Colour		Length	Re-order Code
	Silver Anodised	1000mm	H233C
		2000mm	H233AC
	Gold Anodised	1000mm	H233G
		2000mm	H233AG



## H234 - Bullnose Stair Edge

- Premium quality aluminium
- Size: 15 (H) x 46mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)




Colour		Length	Re-order Code
	Silver Anodised	1000mm	H234C
		2000mm	H234AC
	Gold Anodised	1000mm	H234G
		2000mm	H234AG


H235 - Nails 



- Dome head annular nail
- Size: 2.5 (Diameter) x 30mm (L)
- 5µm thick passivated plate
- 20 nails per pack
- Supplied with H230 Lino Edging and H231 Carpet Edging




Colour		Length	Re-order Code
	Silver Anodised	30mm	H235C
	Gold Anodised	30mm	H235G



## H237 - Crescent Trim



- Premium quality aluminium
- Ideal for use with Raven door seals
- Size: 5 (H) x 25mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)
- Complies with AS 1428.1:2009 Part 7.2 / AS 1428.1:2021 Part 4.2




Colour	Length	Re-order Code
	Silver Anodised	900mm
	1800mm	H237AC
	Gold Anodised	900mm
		H237G

## H238 - Flat Trim



- Premium quality aluminium
- Ideal for use with Raven door seals
- Size: 3 (H) x 40mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)
- Complies with AS 1428.1:2009 Part 7.2 / AS 1428.1:2021 Part 4.2



Colour	Length	Re-order Code
	Silver Anodised	900mm
	1800mm	H238AC
	Gold Anodised	900mm
	1800mm	H238AG





## Threshold Access Ramps

The simplest most affordable threshold access ramp for homes, at work, shops, professional practices and more!

Surprisingly affordable and much cheaper than messy cement or custom made metal plates. The Raven threshold ramp simply lays in place or permanently fix with builder's adhesive. Raven threshold ramps meet access and mobility gradient 1:8 at doorways (in path of access and egress).


- Reduce tripping hazards at doorways
- Made from slip resistant recycled rubber
- Quick and easy installation
- Meets access and mobility gradient 1:8 (in path of access and egress)

### For safety & convenience:

- At home
- In aged care facilities
- In hotels & motels

### Ideal for:

- Delivery drivers & tradies
- Wheelchair users




**Cross-Section**

Scan this QR code  
to view the full  
range online.



## TR025 - 25mm Threshold Access Ramp



Raven Threshold Access Ramps are ideal for users of wheelchairs, walking frames, electric scooters and hand trolleys; anyone that regularly traverses tripping hazards at doorways or abrupt surface transitions around the home or in the workplace.

- Retrofit solution
- Reduce tripping hazards
- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access and mobility gradient 1:8 (in path of access and egress)
- Maintenance free
- Simply cut to size

**Global GreenTag**<sup>Cert™</sup>


Product Health Declaration™ (GreenTag PHD™)

PlatinumHEALTH™ HealthRATE™

Colour	Size	Re-order Code
 Black	25 (H) x 200 (W) x 1010mm (L)	TR025



## TR050 - 50mm Threshold Access Ramp



Raven Threshold Access Ramps are ideal for users of wheelchairs, walking frames, electric scooters and hand trolleys; anyone that regularly traverses tripping hazards at doorways or abrupt surface transitions around the home or in the workplace.

- Retrofit solution
- Reduce tripping hazards
- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access and mobility gradient 1:8 (in path of access and egress)
- Maintenance free
- Simply cut to size

**Global GreenTag**<sup>Cert™</sup>

Product Health Declaration™ (GreenTag PHD™)

PlatinumHEALTH™ HealthRATE™

Colour	Size	Re-order Code
 Black	50 (H) x 400 (W) x 1140mm (L)	TR050






## DIY Window Cleaner Squeegees

Founder of Raven Products Pty Ltd, Peter Raven, invented and patented the world's first combination window cleaner / squeegee in the early 1950's. The Raven range of window cleaners and squeegees have remained a popular line in hardware stores across Australia ever since.

Constructed with ultralight aluminium, premium quality sponge and brush and incorporating a unique double life reversible rubber blade, the Raven range of window cleaners and squeegees are designed for reliable everyday window cleaning use.

Ideal for efficient window cleaning around the home, Raven window cleaners and squeegees are also suitable for cleaning motor car windscreens, boats, shower screens and more.


Scan this QR code  
to view the full  
range online.





**H209A - Window Cleaner Squeegee 300mm**

- Aluminium construction
- Premium quality brush and sponge
- Reversible double life rubber blade
- Includes 395mm reach pole




Colour		Length	Re-order Code
	Silver Anodised	300mm	H209a



**H209B - Window Cleaner Squeegee 400mm**

- Aluminium construction
- Premium quality brush and sponge
- Reversible double life rubber blade
- Includes 395mm reach pole




Colour		Length	Re-order Code
	Silver Anodised	400mm	H209b

## H223 - Window Squeegee 225mm



- Ultra light aluminium
- Reversible double life rubber blade
- Ergonomic handle grip fits most broom handles and extension poles




Colour		Length	Re-order Code
	Mill Finish	225mm	H223

## H224 - Window Squeegee 300mm




- Ultra light aluminium
- Reversible double life rubber blade
- Ergonomic handle grip fits most broom handles and extension poles



Colour		Length	Re-order Code
	Mill Finish	300mm	H224

H225 - Window Squeegee 400mm 

- Ultra light aluminium
- Reversible double life rubber blade
- Ergonomic handle grip fits most broom handles and extension poles




Colour		Length	Re-order Code
	Mill Finish	400mm	H225

H209S - Precision Rubber Blade 400mm 


- Unique reversible rubber squeegee blade for twice the life.
- Suits any Raven Window Squeegee or Raven Window Cleaner Squeegee
- Simply cut to size



Colour		Length	Re-order Code
	Grey	400mm	H209S



Window Cleaner Squeegee



Window Squeegee


# Glidex® Advanced Window Cleaning


Glidex® advanced window cleaning products are a result of many years of research and development using leading-edge manufacturing technologies.

Developed for the professional window cleaning market, Glidex® advanced window cleaning products are available through leading hardware outlets across Australia. The range includes professional grade, window squeegees and aluminium extension reach poles and accessories that include utility end tips, squeegee blades, channels, and spares.


The Glidex® professional range is perfect for coastal homes, retail shop owners and anyone wanting a safer and easier cleaning experience for larger glass areas with professional results.

Scan this QR code  
to view the full  
range online.





- Ergonomic swivel handle
- Fittings moulded in engineering grade Nylon 66



- Double action lever lock feature for safe channel offset and release



- Safe-Connect™ latch feature for use with Glidex® attachments



- Reversible double life squeegee blade




- Ultra stiff alloy channel
- Professional grade materials
- Stainless steel retaining clips
- Non-scratch end plugs
- Superior release angle for tight corners
- Extra fitment groove to alter squeegee angle

- Aircraft grade anodised aluminium
- Fluted grip design for added comfort
- Fittings moulded in engineering grade Nylon 66

## 300mm Window Squeegee



- Unique reversible double life squeegee blade
- Aircraft grade aluminium channel
- Ergonomic swivel handle
- Fittings moulded in engineering grade Nylon 66
- Unique Safe-Connect™ latch feature for Glidex® poles
- Unique double action lever lock feature
- Unique extra fitment groove to alter squeegee angle




Colour	Length	Re-order Code
 Dark Grey / Blue	300mm	GS12D

## 450mm Channel & Rubber



- Ultra stiff alloy channel
- High temper aircraft grade aluminium
- Unique reversible double life squeegee blade
- Stainless steel retaining clips





Colour	Length	Re-order Code
 Blue	450mm	GC18D



## 350mm T-Bar Window Washer

- Unique Safe-Connect™ latch feature for Glidex® poles
- Premium quality, microfibre yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook and loop style fastening tabs





Colour	Length	Re-order Code
 Dark Grey / Blue	350mm	GT14D



## 350mm Window Washer Replacement Sleeve

- Premium quality, microfibre yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook & loop style fastening tabs




Colour	Length	Re-order Code
 Blue	350mm	GW14D



## 910mm Window Squeegee Refill Blade


- Unique reversible double life squeegee blade
- High quality natural rubber
- Simply cut to length
- Unique micro-eye process ensures rubber blade is free from imperfections



Colour		Length	Re-order Code
	Black	910mm	GR36D

## Utility End Tip

- Fits Glidex® extension poles
- Fits most paint rollers, brushes and squeegees
- Fittings moulded in engineering grade Nylon 66



Colour		Length	Re-order Code
	Dark Grey	N/A	GPE2D




## 2 Section Extension Pole

- Aircraft grade anodised aluminium
- Safe-Connect™ latch feature for Glidex® attachments
- Fluted grip design for added comfort and safety
- Fittings moulded in engineering grade Nylon 66
- Extends to 600mm (2 feet)



Colour		Length	Re-order Code
	Silver Anodised	600mm	G2P2




## 3 Section Extension Pole

- Aircraft grade anodised aluminium
- Safe-Connect™ latch feature for Glidex® attachments
- Fluted grip design for added comfort and safety
- Fittings moulded in engineering grade Nylon 66
- Extends to 2900mm (9 feet)



Colour		Length	Re-order Code
	Silver Anodised	2900mm	G3P9





# Inspire® Garden Edging **NEW**

**Inspire® Garden Edging's unique patented tooth design makes installation so quick and simple that anyone can do it.**

With Inspire® Garden Edging you can achieve a professional finish without the hard work. Designed and manufactured in Australia, Inspire® garden edging does not need expensive pegs.


Australia's harsh weather conditions can be a challenge for any outdoor product. To meet this challenge head-on, Inspire® Garden Edging is made from durable, high grade colour-coated galvanised steel. Above all, this quality dual-layer protective coating ensures the longest life to keep your garden looking its best.

Available in Modern & Heritage designs.



Scan this QR code  
to view the  
installation video.






**Heritage Garden Edging** 



- Joiners included
- No pegs required! Just hammer in place!
- Conveniently bend to required shape
- Rolled edge for extra safety
- Easily bend teeth out of the way of roots, pipes, or rocks
- Made from Colour-Coated Galvanised Steel



Colour		Length	Re-order Code
 Wood Grey		1000mm	EH100WG




**Modern Garden Edging** 



- Joiners included
- No pegs required! Just hammer in place!
- Conveniently bend to required shape
- Rolled edge for extra safety
- Easily bend teeth out of the way of roots, pipes, or rocks
- Made from Colour-Coated Galvanised Steel



Colour		Length	Re-order Code
Wood Grey		1000mm	EM100WG





**Raven Products Pty. Ltd.**

**Head Office and Factory**

18–22 Aldershot Road,

Lonsdale SA 5160

Australia

**T** (08) 8384 5455

**T** 1800 888 123 (free call)

**E** [sales@raven.com.au](mailto:sales@raven.com.au)

**raven.com.au**